


SANYU

FILTERS

PARTS
MANUAL



FILTERS

	Outer diameter mm	Inner diameter mm	Height mm	Used on
Air filters				
	170	60,7	400	S40/45, S60, S60/65, S80/85, Z45/22, Z45/25(IC POWER), Z45/25-Z45/25J IC P
	121	77,0	324	GTH5518/5519S, GTH2506, GTH3007/AGRI730, GTH2506/AGRI625, GTH2506 AU2
	164	86,0	210	Z60/34, S60, GS3384, GS3390/4390/53, Z60/34, Z45/22, GS3384
	104	83,0	264	GS2668/3268RT, Z45/22MP, Z34/22IC, Z45/22, Z34/22IC POWER
Oil filters				
	79,0	17,4	88	GTH2506 III A/B, GTH5519, GTH5519/5519S, GTH2506, GTH4010, GTH6622, GTH3007 AG AU, GTH3007/AGR1730, GTH3007, GTH2506/AGRI625, Sx180, GTH1056, S40/45, S100/105, S120/125, GS84/90
	68,5	18,5	85	GS2668/3369/4069R, GS2668/3268RT, Z34/22IC, Z34/22IC POWER, Z34IC
	93,5	17,4	180	SX180, S100/105, S120/125, ZX135/70, Z135/70, GTH644/844, GTH1056, GTH4013EX/4017, GTH4017EX/4514EX
	56,5	25,0	170	GS2668/3369/4069DC, GS2669/3369/4069R, Sx180, S40/45, S60/65, S80/85, S100/105, S120/125, S3800/3200, GS84/90, S60/65(X) (XC) (HC) (TRAX), Z51/30J, Z60/34, Z45/25(J)
	44,5	24,0	202	S40/45, S60/65, S80/85, S60, Z60/34, Z34/22IC, Z45/25(IC POWER)

FILTERS

	Outer diameter mm	Inner diameter mm	Height mm	Used on
	94,0	23,2	135	GS2032/3346, GS1530/3246, GS2046/2646/32, GS1530/1930, GS4047, GRC12, QS12/15/20(R)(W)
	76,0	56,5	260	100SC2/120SC2/140SC2, GS2669/3369/4069R, SX180, S100/105, S120/125, S3800/3200, S60/65(X)(XC)(HC)(TRAX), Z45/25(J), Z51/30J, ZX135/70
	95,0	23,0	186	TMZ50/30, GS2032/2632, GS1530/1930, GS2046/2646/32, GS2023, Z25/8-Z20/8(N)
	100	71,0	286	S60/65(X)(XC)(HC)(TRAX), S80X/S80/S85Z51/30J, Z45/25(J), Z45/25IC-Z45/25JIC
	249	89,5	76	SX135XC, SX105/125XC, S40, S80/85, Z45/22, Z34/22IC POWER
Fuel filters				
	51,0	77,5	16,5	SG2669/3369/4069R, S40/45, S80/85, GS2668/3268RT, Z34/2IC, Z80/60
	79,0	14,5	164	GTH5519(S), GTH4010, GTH6622, GTH3007, AGR1730, GTH2056/AGRI625, GTH3007
	77,0	16,5	60	GS2269/3369/4069R, GS2668/3268RT, S60/65, A34/22IC POWER, Z34/22IC
	76,0	29,6	158,5	GTH4013EX/4017, GTH4515AU, GTH4017AU, GTH3713, GTH4016SR/4018SR, GTH644/842/8, Sx180, ZX135/70, Z100/105, Z120/125, Z135/70

FILTERS				
	Outer diameter mm	Inner diameter mm	Height mm	Used on
Air filters				
	121	77	291	LIFTUX 203-24, 67SL, 80SL
	126	85	305	
	134	67	225	600A/AJ, 740AJ, 600SC/SJC, 450A/AJ, 400S/460SJ
	134	67	225	600A/AJ, 740AJ, 600SC/SJC, 450A/AJ, 400S/460SJ
	142	117	470	30E, 450AJ
	159	92	310	1250AJP, 1500SJ, 1200/1350SJP, 1100SB
	164	86	202	
	165	60	347,5	600A/AJ, 740AJ, 600SC/SJC, 450A/AJ, 400S/460SJ

FILTERS

	Outer diameter mm	Inner diameter mm	Height mm	Used on
Oil filters				
	27,3	9	70	E/M450A/AJ, 3369/4069LE/M3369/4069, 800S/860SJ, 33/4069LE-M33/4069, E/M400-450A/AJ/AJP MARROW
	43,5	22	162	TOUCAN 800, TOUCAN 800A, TOUCAN 870, TOUCAN 861, TOUCAN 910, TOUCAN 1210, TOUCAN 1310, VM2639E, VM3242E
	44,5	19,5	131,5	1930ES, 1930/2030/2630/2643/3246ES
	45	11	130,4	6/10/1932/3248RS, 20/2632ES, 1930ES
	47	21	148	260MRT, 600A/AJ, 266/307/266LOPRO 740AJ, 450A/AJ, 400S/400SJ, 40H/40H+6, 800A/800AJ
	56	25	112	260MRT, 740AJ, 600SC, 400S/460SJ, 800A/800AJ
	56,5	25,6	111	1500AJP, 800S/860SJ, 1200/1350SJP, 680S, 1100SB, 1850SJ

FILTERS				
	Outer diameter mm	Inner diameter mm	Height mm	Used on
	60	34	148	800S/860SJ, 1500SJ, 1200/1350SJP, 1100SB, 680S
	60	34,5	209	400S/460SJ, 510AJ, 450A/450AJ, 450A/AJ SERIES II
	76	17,4	88	40H/40H+6, 400/500RTS, 25/33/40RTS, 3706-4017PS/33.7/37.6, 520AJ, 600A/AJ, 3394/4394RT, 3006H/30.6
	77,5	17,4	84,5	400S/460SJ, 510AJ, 450A/450AJ
	93,5	17,4	180	3508/4017PS, 3507-9/12/13_4007-09/12/13, G9-43A/G10-43A, G6-42A, G5-18A/2505
	93,7	23,2	134	450A/AJ, 3394/4394RT, 26MRT
	96,8	23,2	130	1532/2658E, 1532/3246E2, CM1432(PLUS)-25

FILTERS

	Outer diameter mm	Inner diameter mm	Height mm	Used on
	126	36,5	178	600A/AJ, 600SC/SJC, 40H/40H+6, 600S/660SJ
	126	36,5	175	
	128,5	36,5	170	
	128,5	36,6	178	
Fuel filters				
	64	45	129	3369LE, E600, E45A, E400A
	77	14,5	72	60HA, 450A/AJ SERIES II, 400S/400SJ
	84	14,5	130	600A/AJ, 740AJ, 600SC/SCJ, 800A/800AJ

FILTER ACCESSORIES



Switch

Used on 800A

SET OF FILTERS



Contains:

- 2 hydraulic oil filters
- 1 air filter
- 2 fuel filters
- 1 oil filter

Used on 450A



Contains:

- 1 gasket return filter

Used on 400SC, 450AJ, 520AJ

FILTERS

	Outer diameter mm	Inner diameter mm	Height mm	Used on
Air filters				
			41,7	HA120PX, HA16X, HA260PX
	105	60	270	COMPACT10/12DX/3368RT, COMPACT10/12X-H12/15/1, COMPACT10-12DX/2668-3
	105	62	292	HA16RTJ, HA46RTJP
	121	77	291	COMPACT10DX, CPMPACT12DX
	140	60	87	HA20PX, HA26PX
	140	81	320	HA32ERJPRO, HT43RTYPRO
	164	8	202	HA32ERJPRO, HT43RTYPRO
	164	91	341	HA20/260PX, HA61/80J, HA18PX, HA51SJRT, HA16/80SPX, HA46/51S, H14TX-16TPX, HB40-4, HA16/18PX, HA46/51J, HA16X, HA260PX, HA16X, HA46RT, HA16/18SPX

FILTERS				
	Outer diameter mm	Inner diameter mm	Height mm	Used on
	63	45	260	COMPACT10/12DX/3368RT, COMPACT10/12X-H12/15/1, COMPACT10-12DX/2668-3
	81	73	191	HA16PE, COMPACT10RTE
	92	72	345	HA41/130RTHPRO, HA32RTJPRO, HA100RT, HT43RTJPRO, HT132RT, HTL3210, HTL3614-3617-4014-401, HTL3010/3510/4010, HTL3210, H43TPX, HB135JRT, HA41PX/130JRT-NT, MJX990, MJX970, MJX950, HTL4017
	92	72	345	
Oil filters				
	44	20,7	100	STAR8, STAR10, STAR6
	45	22	195	HA15IP, HA43JE, HA12IP, HA33JE
	56,5	25	170	
	56,5	25,5	205	HTL3614-3617-4014-4010, HT43RTJPRO, HT132RT, HT28/85(RTJO)/(PRO), HA41/130RTHPRO, HA32RTJPRON, HTL3210, HTL3010/3510/4010, H43TPX, HB135JRT, HA41PX/130JRT-NT

FILTERS				
	Outer diameter mm	Inner diameter mm	Height mm	Used on
	75	17,4	57	HA20PX, HA26PX
	78,6	17,4	90	HT42RTJPRO, HT132RT, HA41/130RTJPRO, HA18PX, HA51SJRT, HA32RTJPRO, HA100RT, HA16/18SPX, HA46/51S, H14TX-16TPX, HB40-4, HA20/260PX, HA16/18SPX, HA46/51S, HA16/18PX, HA46/51J
	83	18,5	100	COMPACT10, HA16RTJ, HA46RTJP
	85	18,5	78	COMPACT 8DX, 10DX, 12DX
	86	57	245	HA16DX
	93,5	17,4	180	HTL3614-3617-4014-401, HT43RTJPRO, HT132RT, HTL3210, HTL3010/3510/4010, HA43TPX, HB135JRT, HA41PX/130JRT-NT
	93,5	17,4	85	HA20RTJ, HA20RTJP, HT21/61RT, HT23/67RTJ
	94	18,5	82	
	95	23,2	140	P90-P90L-T90LX-MULTIJ

FILTERS				
	Outer diameter mm	Inner diameter mm	Height mm	Used on
	95	49	195,5	HTL3614-3617-4014-4010, HTL4017
	95	93,5	187	COMPACT10, COMPACT8, COMPACT14, COMPACT12
	96	17,4	144	COMPACT10, HA16DX, HA16D
	96,2	24,6	140	COMPACT10, COMPACT8
	97	23,2	138	
	98	32,2	213	MJX990, MJX970, MJX950, HTL4017
	128	39,6	179	H12SX(L), HS5388RT(SL), HTL3614-3617-4014-401, HT43RTJPRO, HT132RT, HT/28/85(RTJO)/(PRO), HT21/61(RT), HT23/67(RTJ), HA16RTJ, HA46RTJPRO, HA15IP, HA43JE, HA120PX, HA12CJ(+)/32CJ(+)/33CJ, HA12IP, HA33JE, HA32RTJPRO, HA100RT, HA16RTJ, HA46RTJ, HA18PX, HA51SJRT, HTL3210
	128	39,6	179	HA12I, HA15I, HA20PX

FILTERS

	Outer diameter mm	Inner diameter mm	Height mm	Used on
Fuel filters				
	47	8	120	HA18PX, HA51SJRT, HA16/18SPX, HA46/51S, HA14TX/16TPX, HA40-4, HA16/18PX, HA46/51J
	77	14,5	124	MJX990, MJX970, MJX950, HTL4017
	95	14,5	72	P90-P90L-T90LX-MULTIJ, HA130TX, HA16X, HA260PX
	84	14,5	130	HA260PX/HA80JT, HA20/260PX - HA61/80JRT, HA18PX/HA51SJRT
	84	18,5	74	COMPACT10
	87	14,5	156	COMPACT10/12X-H12/15/1, HA16DX, HA16D
	87,3	19,1	71,4	H12SX(L), H15SX(L), H18SX(L)
	110,5	23,2	216	

SET OF FILTERS



- Air filter
- Fuel filter
- Hydraulic filter
- Oil filter

Used on Compact 10DX



- Air filter
- Fuel filter
- Hydraulic filter
- Inline filter

Used on F3L2011, F4L2011



- Air filter
- Hydraulic filter
- Inline fuel filter
- Oil filter

Used on F3L2011, F4L2011



- Air filter
- Fuel filter
- Hydraulic filter
- Inline filter
- Repair kit fuel pump

Used on F3L2011, F4L2011



- Air filter
- Fuel filter
- Hydraulic filter
- Inline fuel filter
- Oil filter

Used on H12, H15, H18



- Air filter
- Fuel filter
- Hydraulic filter
- Oil filter

Used on COMPACT8,
COMPACT10, COMPACT12DX



- Fuel filter 2x
- Air filter
- Hydraulic filter
- Oil filter

Used on HA12D, HA12DE,
HA12DX, HA12PX 2000



- Air filter
- Fuel filter
- Hydraulic filter
- Inline fuel filter
- Oil filter

Used on H12, H15, H18

FILTERS				
	Outer diameter mm	Inner diameter mm	Height mm	Used on
Air filters				
	89,8	45	179	SJ9241/9250RT, SJM SERIES, SJIII SERIES, SJ9250RT, 9250, SJ8831/41RT
	191	146	377	VR-642D, VR-1044D
	165	93	348	SJ82/86T, SJ63AJ, SJ61/66T, SJ40/45T
Oil filters				
	70	29	80	SJ9241/9250RT, SJ8831/8841RT, SJM SERIES, SJII SERIES, SJ9250RT, 9250
	78	78	170	SJ9241/9250RT, SJ8831/8841RT, SJM SERIES, SJII SERIES
	83	18,5	100	9250, SJ9250, SJ7027/7135 SJ60, SJ8831/41, 7127/9250 SJ600/800/1000
	95,3	32,8	155,6	SJ61/66T, SJ46/51AJ, SJ40/45T
	98	23,2	145	6826/6832RT, SJ6832RTE, 6826/6832
	129	36,5	170	SJ61/66T, SJO/45T



SANYU

Hangzhou Sanyu Machinery Equipment Co., Ltd.

Address: Room 606, Building 8, No. 111 Tianhe Road, Donghu Street, Linping District,
Hangzhou, Zhejiang, P.R.C 311199
Mobile phone: +86 15268106207
E-Mail: Richard@cn-sanyu.com

Due to continuous technology updates, technical parameters are subject to change without notice. This picture book is for reference only, the actual product shall prevail. The copyright is owned by Sanyu Machinery, any content may not be copied for any purpose without written permission.
2025-02